L Number	Hits	Search Text	DB	Time stamp
3	293	715/535.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/05 14:42
4	23832	(press\$3 or activat\$3 or push\$3) with (key or button) with (functions or features)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/05 14:43
5	14	715/535.ccls. and ((press\$3 or activat\$3 or push\$3) with (key or button) with (functions or features))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/05 14:43
6	81	379/93.18.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/05 14:44
7	22	((press\$3 or activat\$3 or push\$3) with (key or button) with (functions or features)) and 379/93.18.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/05 14:44
_	23	379/915.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 20:53
_	36630	greeting or announc\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/04 10:18
-	1	379/915.ccls. and (greeting or announc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 20:51
-	282	(key or button) with greeting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 20:58
-	3	((key or button) with greeting) and 'shower'	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 21:22
-	0	((key or button) with greeting) and 379/915.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 20:59
_	94	((key or button) with greeting) and 379/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 21:02
	178369	(push\$3 or press\$3) near2 (button or key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 21:02

_	136	((key or button) with greeting) and ((push\$3 or press\$3) near2 (button or	USPAT; US-PGPUB;	2004/03/03 21:02
		key))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	78	(((key or button) with greeting) and	USPAT;	2004/03/03
		((push\$3 or press\$3) near2 (button or	US-PGPUB;	21:04
		key))) and 379/\$.ccls.	EPO; JPO;	
			DERWENT;	
_	73	((key or button) with greeting) same	USPAT;	2004/03/03
	/3	((push\$3 or press\$3) near2 (button or	US-PGPUB;	21:04
		key))	EPO; JPO;	21.01
		Neg//	DERWENT;	
			IBM TDB	
_	49	(((key or button) with greeting) same	USPĀT;	2004/03/03
		((push\$3 or press\$3) near2 (button or	US-PGPUB;	21:04
		key))) and 379/\$.ccls.	EPO; JPO;	
			DERWENT;	
		////	IBM_TDB	2004/03/03
-	. 24		USPAT;	2004/03/03
		((push\$3 or press\$3) near2 (button or key))) not ((((key or button) with	US-PGPUB; EPO; JPO;	21:19
		greeting) same ((push\$3 or press\$3) near2	DERWENT;	
		(button or key))) and 379/\$.ccls.)	IBM TDB	
_	723	455/550.1, 561.ccls.	USPAT;	2004/03/04
		,	US-PGPUB;	10:41
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8397	greeting or greet	USPAT;	2004/03/04
			US-PGPUB;	10:18
		0	EPO; JPO;	,
}			DERWENT;	
_	8	(455/550.1, 561.ccls.) and (greeting or	USPAT;	2004/03/04
		qreet)	US-PGPUB;	10:18
		r	EPO; JPO;	
			DERWENT;	
		*	IBM_TDB	
-	494	455/567.ccls.	USPAT;	2004/03/04
			US-PGPUB;	10:41
			EPO; JPO;	
			DERWENT; IBM TDB	
_ ′	. 12	 (greeting or greet) and 455/567.ccls.	USPAT;	2004/03/04
	12	(grossing or greet) and 400/00/.ccis.	US-PGPUB;	11:24
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	46589	pre-recorded or prerecorded or announc\$5	USPAT;	2004/03/04
			US-PGPUB;	11:58
	*	•	EPO; JPO;	
	ł		DERWENT;	
_	723	455/550.1, 567.ccls.	IBM_TDB USPAT;	2004/03/04
	123	100,000.1, 007.0015.	US-PGPUB;	10:44
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	44	(pre-recorded or prerecorded or	USPAT;	2004/03/04
		announc\$5) and (455/550.1, 567.ccls.)	US-PGPUB;	10:45
			EPO; JPO;	
			DERWENT;	
_	1004	(solosté) or shoosé) or shoise.	IBM_TDB	2004/03/04
-	1024	(select\$3 or choos\$3 or choice) near (pre-recorded or prerecorded or announc\$5	USPAT; US-PGPUB;	2004/03/04
		or greeting or greet)	EPO; JPO;	11.20
		or arccorna or areech	DERWENT;	
			IBM TDB	
		<u></u>	1	1

-	960	(stop\$4 or interrupt\$3) near ringing	USPAT;	2004/03/04
			US-PGPUB;	11:38
			EPO; JPO;	1
			DERWENT;	
1_	1	((select\$3 or choos\$3 or choice) near	IBM_TDB USPAT;	2004/03/04
	1	(pre-recorded or prerecorded or announc\$5	US-PGPUB;	11:37
		or greeting or greet)) with ((stop\$4 or	EPO; JPO;	11.07
		interrupt\$3) near ringing)	DERWENT;	
		Theorem and the same	IBM TDB	
-	4	((select\$3 or choos\$3 or choice) near	USPAT;	2004/03/04
		(pre-recorded or prerecorded or announc\$5	US-PGPUB;	11:37
		or greeting or greet)) same ((stop\$4 or	EPO; JPO;	
		interrupt\$3) near ringing)	DERWENT;	
		*	IBM_TDB	
-	20574		USPAT;	2004/03/04
		near (ring\$3 or pag\$3)	US-PGPUB;	11:39
			EPO; JPO; DERWENT;	
			IBM TDB	
_	1	((select\$3 or choos\$3 or choice) near	USPAT;	2004/03/04
		(pre-recorded or prerecorded or announc\$5	US-PGPUB;	11:39
		or greeting or greet)) with ((stop\$4 or	EPO; JPO;	
		interrupt\$3 or terminat\$4) near (ring\$3	DERWENT;	
		or pag\$3))	IBM TDB	
-	4	((select\$3 or choos\$3 or choice) near	USPĀT;	2004/03/04
		(pre-recorded or prerecorded or announc\$5	US-PGPUB;	11:52
		or greeting or greet)) same ((stop\$4 or	EPO; JPO;	
		interrupt\$3 or terminat\$4) near (ring\$3	DERWENT;	
		or pag\$3))	IBM_TDB	
-	886	455/412.1, 412.2, 420.ccls.	USPAT;	2004/03/04
			US-PGPUB;	11:53
			EPO; JPO; DERWENT;	
1			IBM TDB	
_	3	((stop\$4 or interrupt\$3) near ringing)	USPAT;	2004/03/04
1		and (455/412.1, 412.2, 420.ccls.)	US-PGPUB;	11:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	, , , , , , , , , , , , , , , , , , , ,	USPĀT;	2004/03/04
		(pre-recorded or prerecorded or announc\$5	US-PGPUB;	11:58
		or greeting or greet)) same (message with	EPO; JPO;	
		(('call back' or (call near return)) near	DERWENT;	
1_	1	'time')) (greeting or greet) same (message with	IBM_TDB USPAT;	2004/03/04
	1	(('call back' or (call near return)) near	US-PGPUB;	11:59
		((call back of (call hear return)) hear ('time'))	EPO; JPO;	+1.32
			DERWENT;	
			IBM TDB	
-	10	(greeting or greet) and (message with	USPAT;	2004/03/04
		(('call back' or (call near return)) near	US-PGPUB;	11:59
		'time'))	EPO; JPO;	
			DERWENT;	
	4.7		IBM_TDB	0004/00/04
-	41		USPAT;	2004/03/04
		return)) near 'time')	US-PGPUB; EPO; JPO;	12:07
			DERWENT;	
			IBM TDB	
-	1	message with (('call back' or (call near	USPAT;	2004/03/04
		return)) near 'period')	US-PGPUB;	12:18
		• • • • • • • • • • • • • • • • • • • •	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10588	message with call\$4 with 'time'	USPAT;	2004/03/04
			US-PGPUB;	12:16
			EPO; JPO;	
			DERWENT;	
	1_		IBM_TDB	

-	93	19=======	USPAT;	2004/03/04
		call\$4 with 'time')	US-PGPUB;	12:16
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1841	message with ('call back' or (call near	USPAT;	2004/03/04
		return))	US-PGPUB;	12:18
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	((greeting or greet) with (message with	USPAT;	2004/03/04
		call\$4 with 'time')) same (message with	US-PGPUB;	14:53
		('call back' or (call near return)))	EPO; JPO;	
		, , , , ,	DERWENT;	
			IBM TDB	
_	367	379/142.01.ccls.	USPAT;	2004/03/04
			US-PGPUB;	14:53
			EPO; JPO;	
			DERWENT;	
			IBM TDB	į
-	1841	message with ('call back' or (call near	USPAT;	2004/03/04
		return))	US-PGPUB;	14:54
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	30	379/142.01.ccls. and (message with ('call	USPAT;	2004/03/04
-	30	back' or (call near return)))	US-PGPUB;	14:54
		back of (call hear recurn))	EPO; JPO;	14:54
			DERWENT;	
	6122		IBM_TDB	0004/00/04
-	6132	(press\$3 or activat\$3 or push\$3) with	USPAT;	2004/03/04
		(key or button) with (functions or	US-PGPUB;	19:01
		features)	EPO; JPO;	
			DERWENT;	
ļ			IBM_TDB	
] -	423	((press\$3 or activat\$3 or push\$3) with	USPAT;	2004/03/04
		(key or button) with (functions or	US-PGPUB;	19:51
		features)) and 379/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	657	1 , 12	USPAT;	2004/03/04
		(key or button) with (functions or	US-PGPUB;	19:00
		features)) and (379/\$.ccls. or	EPO; JPO;	į l
	1	455/\$.ccls.)	DERWENT;	
			IBM_TDB	1
-	273	(press\$3 or activat\$3 or push\$3) with	USPAT;	2004/03/04
		(key or button) with (several near times)	US-PGPUB;	19:02
]		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	27	((press\$3 or activat\$3 or push\$3) with	USPAT;	2004/03/05
1		(key or button) with (functions or	US-PGPUB;	14:42
		features)) and ((press\$3 or activat\$3 or	EPO; JPO;	
1	1	push\$3) with (key or button) with	DERWENT;	
		(several near times))	IBM_TDB	
-	1055800	379/355.01, 355.02, 355.03, 359, 361,	USPAT;	2004/03/04
		362, 363, 364, 368, 433.06, 433.04.ccls.	US-PGPUB;	19:54
			EPO; JPO;	
1			DERWENT;]
			IBM TDB	
-	1601	((press\$3 or activat\$3 or push\$3) with	USPĀT;	2004/03/04
1		(key or button) with (functions or	US-PGPUB;	19:53
1		features)) and (379/355.01, 355.02,	EPO; JPO;	
1		355.03, 359, 361, 362, 363, 364, 368,	DERWENT;	
1		433.06, 433.04.ccls.)	IBM TDB	
		1		1

_	5	((press\$3 or activat\$3 or push\$3) with	USPAT;	2004/03/04
		(key or button) with (several near	US-PGPUB;	19:54
		times)) and (((press\$3 or activat\$3 or	EPO; JPO;	
		push\$3) with (key or button) with	DERWENT;	
		(functions or features)) and (379/355.01,	IBM_TDB	
		355.02, 355.03, 359, 361, 362, 363, 364,		
		368, 433.06, 433.04.ccls.))		
_	121	(((press\$3 or activat\$3 or push\$3) with	USPAT;	2004/03/05
		(key or button) with (functions or	US-PGPUB;	14:43
		features)) and 379/\$.ccls.) and	EPO; JPO;	
		(379/355.01, 355.02, 355.03, 359, 361,	DERWENT;	
		362, 363, 364, 368, 433.06, 433.04.ccls.)	IBM_TDB	
-	11	greeting same 'shower'	USPAT;	2004/03/05
			US-PGPUB;	08:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	8	greeting and 'shower' and 379/\$.ccls.	USPAT;	2004/03/05
			US-PGPUB;	08:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3	((button or key) with 'shower') and	USPAT;	2004/03/05
		379/\$.ccls.	US-PGPUB;	09:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	((button or key) with 'shower') and	USPAT;	2004/03/05
		379/88.23.ccls.	US-PGPUB;	09:10
			EPO; JPO;	
			DERWENT;	
			IBM TDB	